



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 1 of 11

KOOZIE GROUP

14421 MYERLAKE CIRCLE CLEARWATER, PINELLAS, FL 33760, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

POP BUBBLE WRIST STRAP KEY HOLDER

Item No.	: 21287
Manufacture Date	: 2022
Test Request Form No.	: 5359_HK
Country of Origin	: CHINA
Country of Destination	: CANADA, UNITED STATES
Labeled Age Grading	: NOT STATED
Requested Age Grading	: 6+
Age Group Assessed by SGS As Per Age Guideline	: OVER 3 YEARS
Age Group Applied in Testing	: OVER 3 YEARS
Sample Receiving Date	: FEB 25, 2022
Testing Period	: FEB 25, 2022 TO MAR 07, 2022

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 2 of 11

Test Requested		Conclusion
1.	US 16 CFR Part 1307 – Phthalates	PASS
	US California Proposition 65 (ACSC Case No. BG07350969) – Phthalates Content	PASS
2.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.	--
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS (EXCEPT CLAUSE 7.1)
3.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	--
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: <ul style="list-style-type: none">- US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages- US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age- US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
4.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	NOT APPLICABLE (SEE REMARK)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 3 of 11

Test Requested		Conclusion
5.	CPSIA section 101 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) - Total Lead content	--
	CPSIA section 101(f) (1) and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material	NOT APPLICABLE (SEE REMARK)
	CPSIA section 101(a) (2) and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
6.	Public Act 097-0612 of the US State of Illinois, the Lead Poisoning Prevention Act – Lead in surface coating materials of painted toy / children's jewelry / childcare article	NOT APPLICABLE (SEE REMARK)

Remark: There were no surface coating found in the said submitted sample.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.

Wong Sau Wai, Athena
Senior Technical Executive

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 4 of 11

Test Results:

Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can be placed in the Mouth

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	1	2	3	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	4	5	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	6	7	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

Specimen Description:

1. Black silicone rubber (Body) (#1-21287 Black Silicone)
2. Blue silicone rubber (Body) (#2-21287 Blue Silicone)
3. Green silicone rubber (Body) (#3-21287 Green Silicone)
4. Yellow silicone rubber (Body) (#4-21287 Yellow Silicone)
5. Red silicone rubber (Body) (#5-21287 Rd Silicone)
6. Black silicone rubber (Body) (#6-21287 Glow-in-the-Dark Silicone)
7. Grey w/ white silicone rubber (Body)

Note:

- % = percentage by weight
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)

The Phthalates Content Requirement(s) is(are) Summarize as below:

Requirement(s)	Permissible Limit
US 16 CFR Part 1307	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP, DBP, DINP, DIBP, DPENP, DHEXP, and DCHP \leq 0.1%
California Proposition 65 (ACSC Case No. BG07350969)	
- Toys for children up to 6 or childcare articles for children up to 3	\leq 0.1% for each of DBP, BBP, DEHP, DIDP, DnHP and DINP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 6 of 11

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	<u>Pass</u> <u>(See Result Page)</u>
4.3	Toxicology	
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	<u>N/A</u> <u>(See Result Page)</u>
4.3.5.2	Heavy Metal in Substrate Materials	<u>Pass</u> <u>(See Result Page)</u>
4.5	Sound-Producing Toys	<u>Pass</u>
4.6.1	Small Objects	<u>N/A</u>
4.6.2	Mouth-Actuated Toys	<u>N/A</u>
4.6.3	Labelling Requirements	<u>N/A</u>
	Remark: The toy does not contain as-received small part.	<u>(See Remark)</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>See Remark</u>
	(Remark: The product or package should indicate the minimum age for intended use.)	
7	Producer's Markings	
7.1	Producer's Markings	<u>See Remark</u>
	(Remark: It is drawn to your attention that either a principal component of a product or the package of a product shall be marked with the name and address of the producer or the distributor.)	
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

N/A = Not Applicable

** Visual Examination

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 7 of 11

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample

POP BUBBLE WRIST STRAP KEY HOLDER

Burning Rate (inch/sec)

DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Not Applicable

Remark : There were no surface coating found in the said submitted sample.

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3

Method (metal materials): With reference to CPSC-CH-E1001-08.3

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Black silicone rubber (Body) (#1-21287 Black Silicone)	ND
2. Blue silicone rubber (Body) (#2-21287 Blue Silicone)	ND
3. Green silicone rubber (Body) (#3-21287 Green Silicone)	ND
4. Yellow silicone rubber (Body) (#4-21287 Yellow Silicone)	ND
5. Red silicone rubber (Body) (#5-21287 Rd Silicone)	ND
6. Black silicone rubber (Body) (#6-21287 Glow-in-the-Dark Silicone)	ND
7. Grey w/ white silicone rubber (Body)	ND
8. Silvery metal key ring (#7-21287 Silver Metal Ring)	ND
9. Silvery metal sheet (#8-21287 Silver Metal Part)	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays	90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays	90	60	25	250	50	25	25	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
1	/	ND	ND	ND	ND	ND	ND	ND
2	/	ND	ND	ND	ND	ND	ND	ND
3	/	ND	ND	ND	ND	ND	ND	ND
4	/	ND	ND	ND	ND	ND	ND	ND
5	/	ND	ND	ND	ND	ND	ND	ND
6	/	ND	ND	ND	ND	ND	ND	ND
7	/	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Black silicone rubber (Body) (#1-21287 Black Silicone)
2. Blue silicone rubber (Body) (#2-21287 Blue Silicone)
3. Green silicone rubber (Body) (#3-21287 Green Silicone)
4. Yellow silicone rubber (Body) (#4-21287 Yellow Silicone)
5. Red silicone rubber (Body) (#5-21287 Rd Silicone)
6. Black silicone rubber (Body) (#6-21287 Glow-in-the-Dark Silicone)
7. Grey w/ white silicone rubber (Body)

- Note:
- ppm = parts per million
 - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - Migration results of eight elements shown are of the adjusted analytical results
 - For Soluble Heavy Metal Content: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T32220240534TY

Date: MAR 07, 2022

Page 9 of 11

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of sample tested</u>	<u>Sharp point (16 CFR 1500.48)</u>	<u>Sharp edge (16 CFR 1500.49)</u>	<u>Small part (16 CFR 1501)</u>
As received	7	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	7	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	7	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	7	Pass	Pass	N/A
Compression test (16 CFR 1500.53g)	0	N/A	N/A	N/A

N/A = Not Applicable

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

<u>Sample</u>	<u>Burning Rate (inch/sec)</u>
POP BUBBLE WRIST STRAP KEY HOLDER	DNI

Requirement: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

CPSIA and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit **(ppm)	100
Specimen Description	Result(s) (ppm)
1. Black silicone rubber (Body) (#1-21287 Black Silicone)	ND
2. Blue silicone rubber (Body) (#2-21287 Blue Silicone)	ND
3. Green silicone rubber (Body) (#3-21287 Green Silicone)	ND
4. Yellow silicone rubber (Body) (#4-21287 Yellow Silicone)	ND
5. Red silicone rubber (Body) (#5-21287 Rd Silicone)	ND
6. Black silicone rubber (Body) (#6-21287 Glow-in-the-Dark Silicone)	ND
7. Grey w/ white silicone rubber (Body)	ND
8. Silvery metal key ring (#7-21287 Silver Metal Ring)	ND
9. Silvery metal sheet (#8-21287 Silver Metal Part)	ND

** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm


N.B. : - Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Remark:

- When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.
 "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."
 "Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.
 "Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.