AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 1 of 8
		Date Received:	March 16, 2016

SAMPLE INFORMATION:

Description:	Element Pen		
Assortment:	-	Purchase Order Number:	7187
Item No.:	55210	Country of Origin:	China
Country of Distribution:	United States, Canada	Labeled Age Grade:	-
Sample Submitted:	10 pcs per style	Recommended Age Grade:	-
Testing Period:	03/16/2016 – 03/22/2016	Tested Age Grade:	-

OVERALL RESULT: **PASS**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

ANSECO GROUP (HK) LIMITED

Vincent Chow Wai Kit
Manager, Chemical Laboratory

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 2 of 8
		Date Received:	March 16, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.
[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	5	**Limit**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Total (ppm)**
Total Pb	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	**Limit**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Total (ppm)**
Total Pb	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:
Pb = Lead
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected (Reporting Limit = 10 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 3 of 8
		Date Received:	March 16, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.
[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	11	12	13	14	15	**Limit**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Total (ppm)**
Total Pb	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	16	---	---	---	---	**Limit**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Total (ppm)**
Total Pb	ND	---	---	---	---	**100**
Conclusion	PASS	---	---	---	---	

Note:
Pb = Lead
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected (Reporting Limit = 10 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 4 of 8
		Date Received:	March 16, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Pink soft plastic	Pink soft plastic grip (pink style)
2	Light green soft plastic	Lime green soft plastic grip (lime style)
3	Light blue soft plastic	Turquoise soft plastic grip (light blue style)
4	Orange soft plastic	Orange soft plastic grip (orange style)
5	Blue soft plastic	Blue soft plastic grip (blue style)
6	Green soft plastic	Green soft plastic grip (green style)
7	Red soft plastic	Red soft plastic grip (red style)
8	Purple soft plastic	Purple soft plastic grip (purple style)
9	Transparent pink plastic	Pink plastic barrel (pink style)
10	Transparent light green plastic	Lime green plastic barrel (lime style)
11	Transparent light blue plastic	Turquoise plastic barrel (light blue style)
12	Transparent orange plastic	Orange plastic barrel (orange style)
13	Transparent blue plastic	Blue plastic barrel (blue style)
14	Transparent green plastic	Green plastic barrel (green style)
15	Transparent red plastic	Red plastic barrel (red style)
16	Transparent purple plastic	Purple plastic barrel (purple style)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 5 of 8
		Date Received:	March 16, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1	2	3	4	5	
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
DBP	ND	ND	ND	ND	ND	**1000**
BBP	ND	ND	ND	ND	ND	**1000**
DEHP	ND	ND	ND	ND	ND	**1000**
DINP	ND	ND	ND	ND	ND	**1000**
DIDP	ND	ND	ND	ND	ND	**1000**
DnHP	ND	ND	ND	ND	ND	**1000**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:
DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;
DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 6 of 8
		Date Received:	March 16, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	6	7	8	---	---	
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
DBP	ND	ND	ND	---	---	**1000**
BBP	ND	ND	ND	---	---	**1000**
DEHP	ND	ND	ND	---	---	**1000**
DINP	ND	ND	ND	---	---	**1000**
DIDP	ND	ND	ND	---	---	**1000**
DnHP	ND	ND	ND	---	---	**1000**
Conclusion	PASS	PASS	PASS	---	---	

Note:
DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;
DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 7 of 8
		Date Received:	March 16, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Pink soft plastic	Pink soft plastic grip (pink style)
2	Light green soft plastic	Lime green soft plastic grip (lime style)
3	Light blue soft plastic	Turquoise soft plastic grip (light blue style)
4	Orange soft plastic	Orange soft plastic grip (orange style)
5	Blue soft plastic	Blue soft plastic grip (blue style)
6	Green soft plastic	Green soft plastic grip (green style)
7	Red soft plastic	Red soft plastic grip (red style)
8	Purple soft plastic	Purple soft plastic grip (purple style)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

AT-1500

TEST REPORT

Company:	BIC Graphic	Test Report #	16H-01160
Address:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)	Date of Issue:	March 22, 2016
		Pages:	Page 8 of 8
		Date Received:	March 16, 2016

SAMPLE PHOTO:

-End Report-

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (*Certificate # *AT-1500.)* Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.