AT-1500

TEST REPORT

Test Report #	17H-003903	Date of Report Issue:	May 26, 2017
Date of Sample Received:	May 19, 2017	Pages:	Page 1 of 16

CLIENT INFORMATION:

Company:	BIC Graphic
Recipient:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)

SAMPLE INFORMATION:

Description:	Hydrating Backpack		
Assortment:	-	Purchase Order Number:	1093
Item No.:	AP5014	Country of Origin:	China
Country of Distribution:	United States, Canada	Labeled Age Grade:	-
Quantity Submitted:	3 pcs per style	Recommended Age Grade:	-
Testing Period:	05/19/2017 – 05/26/2017	Tested Age Grade:	-

OVERALL RESULT: **PASS**

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED

Loska Yeung Lok Ka
Assistant Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement, Bisphenol A#
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets#
PASS	FDA 21 CFR 177.2600, Rubber

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	**Total Limit (ppm)**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	**Total Limit (ppm)**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	28	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11	12	13	14	15	**Total Limit (ppm)**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected (Reporting Limit = 10 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	16	17	18	19	20	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	21	22	23	24	25	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	26	---	---	---	---	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	---	---	---	---	**100**
Conclusion	PASS	---	---	---	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected (Reporting Limit = 10 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Blue textile	Royal 420D polyester (blue style)
2	Black textile	Black 420D polyester (black style)
3	Silvery printed dull black textile	Black/silver tab (all styles)
4	Silvery printed gray textile	Gray trim (test fabric only) (all styles)
5	Black/ white knitted textile with grey soft plastic	Black/white bungee rope (all styles)
6	Matt black textile	Black trim (all styles)
7	Silvery metal	Silver metal zipper pull (all styles)
8	Soft black textile	Black fabric zipper pull (all styles)
9	Dull gray textile	Gray fabric (all styles)
10	Off black textile	Black webbing handle/straps (all styles)
11	Black plastic	Black plastic clasp, buckles, D-ring (test one, report for all) (all styles)
12	Black net textile	Black mesh (on back of bag) (all styles)
13	Black PVC	Black plastic mesh (on shoulder strap) (all styles)
14	Silvery printed grey textile	Silver reflective strip (on shoulder strap) (all styles)
15	Bright black textile	Black inner lining (all styles)
16	Blue plastic	Blue cap holder (all styles)
17	Dull blue plastic	Blue screw adapter (all styles)
18	Matt blue plastic	Blue mouth piece adapter (all styles)
19	Transparent blue PVC	Blue straw (all styles)
20	Soft blue plastic	Blue cap (all styles)
21	Translucent white plastic	White mouthpiece cap (all styles)
22	Translucent blue soft plastic	Blue mouthpiece (all styles)
23	Dull translucent blue soft plastic	Blue TPU bladder (all styles)
24	Translucent plastic	Clear plastic reservoir (all styles)
25	Dull translucent soft plastic	Clear gasket (in cap) (all styles)
26	Translucent soft plastic	Clear gasket (on blue screw adapter) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	2	9	13	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		19	22	23	---	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	---	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	---	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	---	**1000**
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	---	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	---	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	---	**1000**
Conclusion		PASS	PASS	PASS	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Blue textile	Royal 420D polyester (blue style)
2	Black textile	Black 420D polyester (black style)
9	Dull gray textile	Gray fabric (all styles)
13	Black PVC	Black plastic mesh (on shoulder strap) (all styles)
19	Transparent blue PVC	Blue straw (all styles)
22	Translucent blue soft plastic	Blue mouthpiece (all styles)
23	Dull translucent blue soft plastic	Blue TPU bladder (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	2	9	13	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		19	22	23	---	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	---	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	---	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	---	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	---	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	---	**1000**
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	---	**1000**
Conclusion		PASS	PASS	PASS	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Blue textile	Royal 420D polyester (blue style)
2	Black textile	Black 420D polyester (black style)
9	Dull gray textile	Gray fabric (all styles)
13	Black PVC	Black plastic mesh (on shoulder strap) (all styles)
19	Transparent blue PVC	Blue straw (all styles)
22	Translucent blue soft plastic	Blue mouthpiece (all styles)
23	Dull translucent blue soft plastic	Blue TPU bladder (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

Client's Requirement: Bisphenol A

Test Method: AI|ANSECO Method#
Analytical Method: Liquid Chromatography with Fluorescence Detection

Specimen No.		17	18	19	20	**Limit (ppm)**
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	**ND**
Conclusion		PASS	PASS	PASS	PASS	

Specimen No.		22	23	24	---	**Limit (ppm)**
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Bisphenol A (BPA)	80-05-7	ND	ND	ND	---	**ND**
Conclusion		PASS	PASS	PASS	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not Detected (Reporting Limit = 1 ppm)

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
17	Dull blue plastic	Blue screw adapter (all styles)
18	Matt blue plastic	Blue mouth piece adapter (all styles)
19	Transparent blue PVC	Blue straw (all styles)
20	Soft blue plastic	Blue cap (all styles)
22	Translucent blue soft plastic	Blue mouthpiece (all styles)
23	Dull translucent blue soft plastic	Blue TPU bladder (all styles)
24	Translucent plastic	Clear plastic reservoir (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specimen No.			25		
Test Item	Test Condition		Result	**RL**	**Limit**
	Temp.	Duration			
Distilled water extractive (ppm)	120°F	24 hours	ND	**10**	**50**
Conclusion			PASS		

Specimen No.			26		
Test Item	Test Condition		Result	**RL**	**Limit**
	Temp.	Duration			
Distilled water extractive (ppm)	120°F	24 hours	ND	**10**	**50**
Conclusion			PASS		

Note:
Temp. = Temperature
°F = Degree Fahrenheit
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected. Result value is less than reporting limit (RL).

Remark:
The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
25	Dull translucent soft plastic	Clear gasket (in cap) (all styles)
26	Translucent soft plastic	Clear gasket (on blue screw adapter) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No.			22		
Test Item	Test Condition		Result	**RL**	**Limit**
	Temp.	Duration			
Distilled water extractive (mg/in^2)	Reflux	First 7 hours	ND	**2**	**20**
Distilled water extractive (mg/in^2)	Reflux	Succeeding 2 hours	ND	**0.1**	**1**
Conclusion			PASS		

Specimen No.			23		
Test Item	Test Condition		Result	**RL**	**Limit**
	Temp.	Duration			
Distilled water extractive (mg/in^2)	Reflux	First 7 hours	ND	**2**	**20**
Distilled water extractive (mg/in^2)	Reflux	Succeeding 2 hours	ND	**0.1**	**1**
Conclusion			PASS		

Note:
Temp. = Temperature
mg/in^2 = Milligrams per square inch
LT = Less than
ND = Not detected. Result value is less than reporting limit (RL).

Remark:
The specification is quoted from 21 CFR 177.2600 (e).

From Client's information, rubber article was intended for repeated use in contact with aqueous food only, therefore n-hexane extractive was not conducted.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
22	Translucent blue soft plastic	Blue mouthpiece (all styles)
23	Dull translucent blue soft plastic	Blue TPU bladder (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:

-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.