AT-1500

TEST REPORT

Test Report #	17H-003858	Date of Report Issue:	May 24, 2017
Date of Sample Received:	May 18, 2017	Pages:	Page 1 of 13

CLIENT INFORMATION:



Company:	BIC Graphic
Recipient:	14421 Myerlake Circle Clearwater Florida 33760 United States (USA)

SAMPLE INFORMATION:

Description:	Kadin Sport Duffel		
Assortment:	-	Purchase Order Number:	1101
Item No.:	AP6002	Country of Origin:	China
Country of Distribution:	United States, Canada	Labeled Age Grade:	-
Quantity Submitted:	3 pcs per style	Recommended Age Grade:	-
Testing Period:	05/18/2017 – 05/24/2017	Tested Age Grade:	-

OVERALL RESULT: **PASS**

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED

Loska Yeung Lok Ka
Assistant Manager, Chemical Laboratory

ANSECO GROUP (HK) LIMITED ♦ 3/F Liven House ♦ No. 61 – 63 King Yip Street ♦ Kwun Tong ♦ Kowloon ♦ Hong Kong ♦ Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	ND	ND	23	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11	12	13	14a	14b	**Total**
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Total Lead (Pb)	ND	ND	ND	ND	ND	**100**
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram)
LT = Less than
ND = Not detected (Reporting Limit = 10 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Green textile with green PVC backing	Apple green 600D Polyester fabric with backing (green style)
2	Red textile with red PVC backing	Red 600D Polyester fabric with backing (red style)
3	Blue textile with blue PVC backing	Royal 600D Polyester fabric with backing (blue style)
4	Dull blue textile with dull blue PVC backing	Teal 600D Polyester fabric with backing (kelly blue style)
5	Grey textile with grey PVC backing	Charcoal 600D Polyester fabric with backing (black style)
6	White textile with white PVC backing	White 600D Polyester fabric with backing (all styles)
7	Black textile with black PVC backing	Black 600D Polyester fabric with backing (all styles)
8	Dull black textile	Black webbing material (strap, handles, trim and zipper) test one report all (all styles)
9	Silvery metal	Silver metal zipper pull (all styles)
10	Matt black textile	Black zipper trim (all styles)
11	Black plastic	Black plastic D ring & adjuster (test one report all) (all styles)
12	Black pp non-woven	Black bottom stabilizer (fabric only) (all styles)
13	Bright black textile	Black inner liner on side pockets (all styles)
14a	Dull black plastic with dull black textile	Hook and base of black Velcro (in handle) (all styles)
14b	Matt black plastic with dull black textile	Loop and base of black Velcro (in handle) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	2	3	4	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		5	6	7	12	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		13	14a	14b	---	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	---	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	---	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	---	**1000**
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	---	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	---	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	---	**1000**
Conclusion		PASS	PASS	PASS	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Green textile with green PVC backing	Apple green 600D Polyester fabric with backing (green style)
2	Red textile with red PVC backing	Red 600D Polyester fabric with backing (red style)
3	Blue textile with blue PVC backing	Royal 600D Polyester fabric with backing (blue style)
4	Dull blue textile with dull blue PVC backing	Teal 600D Polyester fabric with backing (kelly blue style)
5	Grey textile with grey PVC backing	Charcoal 600D Polyester fabric with backing (black style)
6	White textile with white PVC backing	White 600D Polyester fabric with backing (all styles)
7	Black textile with black PVC backing	Black 600D Polyester fabric with backing (all styles)
12	Black pp non-woven	Black bottom stabilizer (fabric only) (all styles)
13	Bright black textile	Black inner liner on side pockets (all styles)
14a	Dull black plastic with dull black textile	Hook and base of black Velcro (in handle) (all styles)
14b	Matt black plastic with dull black textile	Loop and base of black Velcro (in handle) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	2	3	4	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		5	6	7	12	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	**1000**
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	**1000**
Conclusion		PASS	PASS	PASS	PASS	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		13	14a	14b	---	
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	**Limit (ppm)**
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	---	**1000**
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	---	**1000**
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	---	**1000**
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	---	**1000**
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	---	**1000**
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	---	**1000**
Conclusion		PASS	PASS	PASS	---	

Note:
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
LT = Less than
ND = Not detected (Reporting Limit = 100 ppm)
Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Green textile with green PVC backing	Apple green 600D Polyester fabric with backing (green style)
2	Red textile with red PVC backing	Red 600D Polyester fabric with backing (red style)
3	Blue textile with blue PVC backing	Royal 600D Polyester fabric with backing (blue style)
4	Dull blue textile with dull blue PVC backing	Teal 600D Polyester fabric with backing (kelly blue style)
5	Grey textile with grey PVC backing	Charcoal 600D Polyester fabric with backing (black style)
6	White textile with white PVC backing	White 600D Polyester fabric with backing (all styles)
7	Black textile with black PVC backing	Black 600D Polyester fabric with backing (all styles)
12	Black pp non-woven	Black bottom stabilizer (fabric only) (all styles)
13	Bright black textile	Black inner liner on side pockets (all styles)
14a	Dull black plastic with dull black textile	Hook and base of black Velcro (in handle) (all styles)
14b	Matt black plastic with dull black textile	Loop and base of black Velcro (in handle) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.