



Test Report

No.T32020290117TC

Date: OCT 20, 2020

Page 1 of 13

BIC GRAPHIC

14421 MYERLAKE CIRCLE CLEARWATER
PINELLAS FL 33760 UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

KOOZIE® BEACH BACKPACK CHAIR

Item No. : 26181
Manufacture Date : 2019
Test Request Form No. : 3277_HK
Shipment Order Number : PO 7100338
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Sample Receiving Date : SEP 04, 2020
Further Information Date : OCT 19, 2020
Testing Period : SEP 04, 2020 TO OCT 20, 2020

| Test Requested | | Conclusion |
|----------------|--|------------|
| 1. | CPSIA section 108 – Phthalates in the specified specimen(s) as listed | PASS |
| | US 16 CFR Part 1307 – Phthalates in the specified specimen(s) as listed | PASS |
| | US California Proposition 65 (County of Alameda Case No. RG 13-683338 & County of Santa Clara Case No. 114CV267501 & County of Alameda Case No. RG11597933 & County of Marin Case No. CIV1105882) – Phthalates Content in the specified specimen(s) as listed | PASS |
| 2. | Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content in the specified specimen(s) as listed | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



| Test Requested | Conclusion |
|---|------------|
| 3. CPSIA section 101 - Total Lead content in the specified specimen(s) as listed | -- |
| 3.1 CPSIA section 101(f) (1) – Lead in paint/similar surface coating material | PASS |
| 3.2 CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry) | PASS |
| 4. US California Proposition 65 (County of Alameda Case No. RG11575589) – Lead Content in the specified specimen(s) as listed | PASS |
| 5. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material in the specified specimen(s) as listed | PASS |
| 6. Seating - seat static load, Seating –front stability and Seating –rear stability of FT0315.1-Camping Chair-US-V1.0 | PASS |

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.



To Man Wah, Po
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020290117TC

Date: OCT 20, 2020

Page 3 of 13

Test Results:

1. Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can be placed in the Mouth

| Test Item(s) | CAS No. | Result(s) (%) | | | MDL (%) |
|-------------------------------------|--------------------------|---------------|----|----|---------|
| Specimen No. | -- | 1 | 2 | 3 | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | 0.003 |
| Benzylbutyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | 0.003 |
| Bis-(2-ethylhexyl) Phthalate (DEHP) | 117-81-7 | ND | ND | ND | 0.003 |
| Diisononyl Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | 0.010 |
| Di-n-octyl Phthalate (DNOP) | 117-84-0 | ND | ND | ND | 0.003 |
| Diisodecyl Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | 0.010 |
| Di-n-Hexyl phthalate (DHP/DnHP) | 84-75-3 | ND | ND | ND | 0.003 |
| Diisobutyl phthalate (DIBP) | 84-69-5 | ND | ND | ND | 0.003 |
| Di-n-pentyl phthalate (DPP/DPenP) | 131-18-0 | ND | ND | ND | 0.003 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | ND | ND | ND | 0.003 |

| Test Item(s) | CAS No. | Result(s) (%) | | MDL (%) |
|-------------------------------------|--------------------------|---------------|----|---------|
| Specimen No. | -- | 4 | 5 | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | 0.003 |
| Benzylbutyl Phthalate (BBP) | 85-68-7 | ND | ND | 0.003 |
| Bis-(2-ethylhexyl) Phthalate (DEHP) | 117-81-7 | ND | ND | 0.003 |
| Diisononyl Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | 0.010 |
| Di-n-octyl Phthalate (DNOP) | 117-84-0 | ND | ND | 0.003 |
| Diisodecyl Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | 0.010 |
| Di-n-Hexyl phthalate (DHP/DnHP) | 84-75-3 | ND | ND | 0.003 |
| Diisobutyl phthalate (DIBP) | 84-69-5 | ND | ND | 0.003 |
| Di-n-pentyl phthalate (DPP/DPenP) | 131-18-0 | ND | ND | 0.003 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | ND | ND | 0.003 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Lime woven w/ lime plastic sheet backing (#1-26181 Lime 600D polyester chair fabric)
2. Red woven w/ red plastic sheet backing (#2-26181 RED 600D polyester chair fabric)
3. Royal woven w/ royal plastic sheet backing (#3-26181 Royal 600D polyester chair fabric)
4. Gray woven w/ gray plastic sheet backing (#4-26181 Gray 600D polyester chair fabric)
5. Grey plastic (#5-26181 PP Plastic Part (copolymer))

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The Phthalates Content Requirement(s) is(are) Summarize as below:

| Requirement(s) | Permissible Limit |
|---|--|
| Consumer Product Safety Improvement Act of 2008 | |
| - Toys for children up to 12 or childcare articles for children up to 3 | - DEHP, BBP or DBP ≤ 0.1% |
| - Toys for children up to 12 that can be placed in the mouth or childcare articles for children up to 3 | - DINP, DNOP or DIDP ≤ 0.1% |
| US 16 CFR Part 1307 | |
| - Toys for children up to 12 or childcare articles for children up to 3 | - DEHP, BBP, DBP, DINP, DIBP, DPENP, DHEXP, and DCHP ≤ 0.1% |
| California Proposition 65 (County of Alameda Case No. RG 13-683338) | |
| - Folding Chairs with Vinyl/PVC upholstery | ≤ 0.1% each of DEHP, BBP, DBP |
| California Proposition 65 (County of Santa Clara Case No. 114CV267501) | |
| - Seat with Vinyl/PVC upholstery | ≤ 0.1% each of DEHP, BBP, DBP, DIDP, DnHP and DINP otherwise warning |
| California Proposition 65 (County of Alameda Case No. RG11597933) | |
| - Stools | ≤ 0.1% DEHP |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| Requirement(s) | Permissible Limit |
|--|--|
| California Proposition 65 (County of Marin Case No. CIV1105882) | |
| <ul style="list-style-type: none"> - Rainwear/apparel - Hardware (including hooks, suction cups, etc) - Squeeze bottles that could contain paint, glue or craft mediums; or empty squeeze bottles intended for use as storage - Jewelry travel cases - Covers/sleeves/handles for books, planners, journals, diaries, and photo albums - Eyelash Curler Bags - Journals and Refills - Pocket Guides - Card Boxes - Pocket Hanging Storages - See-Through Bags - Totes - Needle Cases - Purse Kits - Accessory Bags Sets - Needle Sleeves - Storage containers, such as for scrapbooking, sewing apparel craft, and beading - Décor items, including faux fruit and vegetables, balls, gems, beads, ornaments, floral, greenery, centerpieces, candle rings, table décor, planters - Chairs and chair pads - Mats (sink, tub, auto, welcome, etc) - Vinyl placemats, tablecloths - Vinyl fabric, including faux leather fabric - Photo Albums - Aprons - Covers/cases/bags/cords for mobile electronic devices (e.g. telephones, cameras, MP3 players, CDs/DVDs, videogames, radios, tablets and laptops) - Stickers not intended primarily for use by children aged 12 and under | <p>≤ 0.1% DEHP, BBP and DBP</p> <p>Remark: For accessible components made of PVC or other soft plastic, vinyl or synthetic leather</p> |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020290117TC

Date: OCT 20, 2020

Page 6 of 13

2. CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s) | Lead (Pb) |
|--|--------------------|
| Permissible Limit (ppm) | 90 |
| Specimen Description | Result(s) (ppm) |
| 1. Grey coating on metal (#6-26181 Gray steel metal frame) | ND |

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

3.1 CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s) | Lead (Pb) |
|--|--------------------|
| Permissible Limit (ppm) | 90 |
| Specimen Description | Result(s) (ppm) |
| 1. Grey coating on metal (#6-26181 Gray steel metal frame) | ND |

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3.2 CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

| Test Item(s) | Lead (Pb) |
|--|--------------------|
| Permissible Limit ** (ppm) | 100 |
| Specimen Description | Result(s) (ppm) |
| 1. Lime woven w/ lime plastic sheet backing (#1-26181 Lime 600D polyester chair fabric) | ND |
| 2. Red woven w/ red plastic sheet backing (#2-26181 RED 600D polyester chair fabric) | ND |
| 3. Royal woven w/ royal plastic sheet backing (#3-26181 Royal 600D polyester chair fabric) | ND |
| 4. Gray woven w/ gray plastic sheet backing (#4-26181 Gray 600D polyester chair fabric) | ND |
| 5. Silvery metal (#6-26181 Gray steel metal frame) | ND |

** Permissible Limit applies to a children’s product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4. US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

| Test Item(s) | Lead (Pb) |
|--|-----------------|
| Specimen Description | Result(s) (ppm) |
| 1. Lime woven w/ lime plastic sheet backing (#1-26181 Lime 600D polyester chair fabric) | ND |
| 2. Red woven w/ red plastic sheet backing (#2-26181 RED 600D polyester chair fabric) | ND |
| 3. Royal woven w/ royal plastic sheet backing (#3-26181 Royal 600D polyester chair fabric) | ND |
| 4. Gray woven w/ gray plastic sheet backing (#4-26181 Gray 600D polyester chair fabric) | ND |
| 5. Grey coating on metal (#6-26181 Gray steel metal frame) | ND |
| 6. Silvery metal (#6-26181 Gray steel metal frame) | ND |

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm

Remark: Summary of permissible limit(s) of Lead requirement:

| Requirement(s) | Permissible Limit of Lead (ppm) | Effective Date |
|---|---------------------------------|----------------|
| California Proposition 65 (County of Alameda Case No. RG11575589) | 100 | Current |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020290117TC

Date: OCT 20, 2020

Page 9 of 13

5. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2019

| Test Item(s) | Pb | Hg |
|--|-------------------|----|
| Permissible Limit (mg/kg) | 90 | ND |
| Specimen Description | Result(s) (mg/kg) | |
| 1. Grey coating on metal (#6-26181 Gray steel metal frame) | ND | ND |

- Note:
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - MDL for Pb = 10 mg/kg
 - MDL for Hg = 10 mg/kg
 - The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada's Safety Requirements for Children's Toys and Related Products, 2012

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

6. Seating - seat static load, Seating –front stability and Seating –rear stability of FT0315.1-Camping Chair-US-V1.0

No. of Sample:
1 piece (Sample #1).

| Test Property | Test Method | Test Principle / Requirements | Rating |
|--------------------------------|--|---|-----------------------------|
| Strength and durability | | | |
| Seating - seat static load | SGS In-house Method | No structural failure under 300 lbs compression x 1.2 times for 24 hours | PASS Test load: 360 lbs. |
| Stability | | | |
| Seating –front stability | SGS In-house Method & ANSI/BIFMA X 5.1-2017 11.4 | The chair is obstructed with a 13mm (½ in.) obstruction to the chair casters/legs. A downward load of 600N (135lbs.) is centered 60mm (2.4in.) from the seat front center edge. The seat shall withstand a 20N (4.5lbf.) horizontally from the front seat edge without tipping. | PASS |
| Seating –rear stability | SGS In-house Method & ANSI/BIFMA X 5.1-2017 11.3.1 for type III chairs | Apply only to chairs with backrests greater than 200mm Type III: Load the chair with 6 disks, apply a horizontal force to the highest disk. The location of the force application is 6 mm (0.25 in.) from the top of the disk. The force shall be: • F = 0.1964 (1195 – H) Newton. H is the seat height in mm. • [F = 1.1 (47 – H) pounds force.]. H is the seat height in inches. For chairs with seat height equal to or greater than 710 mm (28.0 in.), a fixed force of 93 N (20.9 lbf.) shall be applied. The chair shall not tip over. | PASS |

Remark:

- For the sample information and pictures, please refer to the following page.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Weight: 4.30 kg

Overall Dimensions: (690~1060) mm D x 620 mm W x (400~790) mm H

Sample as Received



View 1



View 2



View 3



View 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



View 5



View 6



View 7



View 8

Note: The tests were conducted by SGS SD LTD.

Remark:

When statement of conformity is made, unless inherent in the requested specification or instructed by the applicant, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”.

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.