

Test Report No.T3

No.T32020290119TC

Date: NOV 03, 2020

Page 1 of 10

BIC GRAPHIC

14421 MYERLAKE CIRCLE CLEARWATER PINELLAS FL 33760 UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

KOOZIE® OLYMPIC OVERSIZED CHAIR			
Item No.	:	26182	
Shipment order number	:	PO 7101309	
Manufacture Date	:	2018	
Test Request Form No.	:	3261_HK	
Country of Origin	:	CHINA	
Country of Destination	:	CANADA, UNITED STATES	
Sample Receiving Date	:	SEP 04, 2020	
Last Submission Sample Date	:	SEP 14, 2020	
Further Information Date	:	NOV 02, 2020	
Testing Period	:	SEP 04, 2020 TO NOV 03, 2020	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: NOV 03, 2020

Page 2 of 10

Test	Conclusion	
1.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
2.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	
2.1	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
2.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
3.	US California Proposition 65 (County of Alameda Case No. RG11575589) – Lead Content in the specified specimen(s) as listed	PASS
4.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material	PASS
5.	Seating - seat static load, Seating –front stability and Seating –rear stability of FT0315.1-Camping Chair-US-V1.0	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS Hong Kong Ltd.

To Man Wah, Po Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: NOV 03, 2020

Test Results:

1. CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Grey coating on metal (#7-26182 Silver Steel metal frame)	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

2.1 CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)	
Permissible Limit (ppm)	90	
Specimen Description	Result(s) (ppm)	
1. Grey coating on metal (#7-26182 Silver Steel metal frame)	ND	

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.T32020290119TC Date: NOV 03, 2020

2.2 CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit **(ppm)	100
Specimen Description	Result(s) (ppm)
 Black woven w/ black plastic sheet backing (#1-26182 Black 600D polyester with PVC backing chair fabric) 	ND
2. Lime woven (#2-26182 Lime 600D polyester trim fabric)	ND
3. Royal woven (#4-26182 Royal 600D polyester trim fabric)	ND
4. Gray woven (#5-26182 Gray 600D polyester trim fabric)	ND
5. Black soft plastic (#6-26182 Black PE plastic grommet & feet)	22
6. Black fabric (#8-Black 300D PU polyester carry bag)	ND
7. Silvery metal (#7-26182 Silver Steel metal frame)	ND

** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note: - ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Date: NOV 03, 2020

3. US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Те	st Item(s)	Lead (Pb)
Sp	ecimen Description	Result(s) (ppm)
1.	Black woven w/ black plastic sheet backing (#1-26182 Black 600D polyester with PVC backing chair fabric)	ND
2.	Lime woven (#2-26182 Lime 600D polyester trim fabric)	ND
3.	Royal woven (#4-26182 Royal 600D polyester trim fabric)	ND
4.	Gray woven (#5-26182 Gray 600D polyester trim fabric)	ND
5.	Black soft plastic (#6-26182 Black PE plastic grommet & feet)	22
6.	Black fabric (#8-Black 300D PU polyester carry bag)	ND
7.	Grey coating on metal (#7-26182 Silver Steel metal frame)	ND
8.	Silvery metal (#7-26182 Silver Steel metal frame)	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit =10 ppm
- 1% = 10000mg/kg=10000ppm

Remark: Summary of permissible limit(s) of Lead requirement:

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (County of Alameda Case No. RG11575589)	100	Current

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: NOV 03, 2020

Page 6 of 10

4. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2019

Test Item(s)	Pb	Hg	
Permissible Limit (mg/kg)	90	ND	
Specimen Description		Result(s) (mg/kg)	
4 Ones a stime an exacted (#7.00400 City on Ota all marted frames)			

Note: - mg/kg = milligram per kilogram

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- MDL for Pb = 10 mg/kg
- MDL for Hg = 10 mg/kg
- The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada's Safety Requirements for Children's Toys and Related Products, 2012

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions/Terms-en

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: NOV 03, 2020

Page 7 of 10

5. Seating - seat static load, Seating – front stability and Seating – rear stability of FT0315.1-Camping Chair-US-V1.0

No. of Sample:

1 piece (Sample #1).

Test Property	Test Method	Test Principle / Requirements	Rating	
Strength and durability				
Seating - seat static load	SGS In-house Method	No structural failure under 330 lbs compression x 1.2 times for 24 hours	PASS	
			Test load: 396 lbs.	
Stability		·		
Seating –front stability	SGS In-house Method & ANSI/BIFMA X 5.1- 2017 11.4	The chair is obstructed with a 13mm (1/2 in.) obstruction to the chair casters/legs. A downward load of 600N (135lbs.) is centered 60mm (2.4in.) from the seat front center edge. The seat shall withstand a 20N (4.5lbf.) horizontally from the front seat	PASS	
Seating –rear stability	SGS In-house Method & ANSI/BIFMA X 5.1- 2017 11.3.1 for type III chairs	Apply only to chairs with backrests greater than 200mm Type III: Load the chair with 6 disks, apply a horizontal force to the highest disk. The location of the force application is 6 mm (0.25 in.) from the top of the disk. The force shall be: • F = 0.1964 (1195 – H) Newton. H is the seat height in mm. • [F = 1.1 (47 – H) pounds force.]. H is the seat height in inches. For chairs with seat height equal to or greater than 710 mm (28.0 in.), a fixed force of 93 N (20.9 lbf.) shall be applied. The chair shall not tip over.	PASS	

Remark:

1. For the sample information and pictures, please refer to the following page.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.T32020290119TC Date: NOV 03, 2020

Page 8 of 10

Weight: 4.25 kg

Overall Dimensions: 770 mm D x 870 mm W x 990 mm H

Sample as Received



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test ReportNo.T32020290119TCDate: NOV 03, 2020Page 9 of 10Image: Descent reportImage: Descent

Note: The tests were conducted by SGS SD LTD.

Remark:

When statement of conformity is made, unless inherent in the requested specification or instructed by the applicant, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.

"Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: NOV 03, 2020



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.