



## Test Report

No.T32120320113TC

Date: DEC 08, 2021

Page 1 of 8

KOOZIE GROUP

14421 MYERLAKE CIRCLE CLEARWATER,  
PINELLAS,FL 33760,UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

RECYCLED PET CAP; RECYCLED PET BOONIE HAT

Item No. : 26263; 26265  
Manufacture Date : 2021  
Test Request Form No. : 5244\_HK  
Shipment Order Number : 7139866  
Country of Origin : CHINA  
Country of Destination : CANADA, UNITED STATES  
Sample Receiving Date : NOV 03, 2021  
Further Information Date : NOV 08, 2021  
Testing Period : NOV 03, 2021 TO DEC 08, 2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Requested		Conclusion
1.	CPSIA section 108 – Phthalates in the specified specimen(s) as listed	PASS
	US 16 CFR Part 1307 – Phthalates in the specified specimen(s) as listed	PASS
	US California Proposition 65 (County of Sacramento Case No. 34-2008-00003278 & County of Santa Clara Case No. 114CV267501) – Phthalates Content in the specified specimen(s) as listed	PASS
2.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	--
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry)	PASS
3.	US California Proposition 65 (ACSC Case No. RG-07-356892 & County of Alameda Case No. RG12641740) – Lead Content in the specified specimen(s) as listed	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.



\_\_\_\_\_  
To Man Wah, Po  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Results:**
**1. Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can not be placed in the Mouth

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	1	2	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	3	4	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

Specimen Description:

1. Grey woven w/ grey fabric thread (Cap) (#1-26263 & 26265 Gray RPET body)
2. Brown woven w/ brown fabric thread (Cap) (#2-26263 & 26265 Brown RPET body)
3. Black woven w/ black fabric thread (Cap) (#6-26263 Black RPET body)
4. Blue woven w/ blue fabric thread (Cap) (#7-26263 Navy RPET body)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

**The Phthalates Content Requirement(s) is(are) Summarize as below:**

Requirement(s)	Permissible Limit
<b>Consumer Product Safety Improvement Act of 2008</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP or DBP ≤ 0.1%
- Toys for children up to 12 that can be placed in the mouth or childcare articles for children up to 3	- DINP, DNOP or DIDP ≤ 0.1%
<b>US 16 CFR Part 1307</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP, DBP, DINP, DIBP, DPENP, DHEXP, and DCHP ≤ 0.1%
<b>California Proposition 65 (County of Sacramento Case No. 34-2008-00003278)</b>	
- Children's product	- DEHP ≤ 0.1%
<b>California Proposition 65 (County of Santa Clara Case No. 114CV267501)</b>	
- Seat with Vinyl/PVC upholstery	≤ 0.1% each of DEHP, BBP, DBP, DIDP, DnHP and DINP otherwise warning

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**2. CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Test Item(s)	Lead (Pb)
Permissible Limit **(ppm)	100
Specimen Description	Result(s) (ppm)
1. Grey woven w/ grey fabric thread (Cap) (#1-26263 & 26265 Gray RPET body)	ND
2. Brown woven w/ brown fabric thread (Cap) (#2-26263 & 26265 Brown RPET body)	ND
3. White mesh (Cap) (#3-26263 & 26265 Polyester Mesh backing)	ND
4. Black mesh (Cap) (#4-26265 Black Mesh)	ND
5. Black woven cord (Cap) (#5-26265 Black Rope)	ND
6. Black woven w/ black fabric thread (Cap) (#6-26263 Black RPET body)	ND
7. Blue woven w/ blue fabric thread (Cap) (#7-26263 Navy RPET body)	ND

\*\* Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3. US California Proposition 65 – Total Lead Content**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Grey woven w/ grey fabric thread (Cap) (#1-26263 & 26265 Gray RPET body)	ND
2. Brown woven w/ brown fabric thread (Cap) (#2-26263 & 26265 Brown RPET body)	ND
3. White mesh (Cap) (#3-26263 & 26265 Polyester Mesh backing)	ND
4. Black mesh (Cap) (#4-26265 Black Mesh)	ND
5. Black woven cord (Cap) (#5-26265 Black Rope)	ND
6. Black woven w/ black fabric thread (Cap) (#6-26263 Black RPET body)	ND
7. Blue woven w/ blue fabric thread (Cap) (#7-26263 Navy RPET body)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

**Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required.**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (County of Alameda Case No. RG12641740)	100	Current
California Proposition 65 (ACSC Case No. RG-07-356892)	Surface Coating	90
	Accessible substrate	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Remark:**

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”


“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.