



## Test Report

No.T32120270863TC

Date: JUL 28, 2021

Page 1 of 10

KOOZIE GROUP

14421 MYERLAKE CIRCLE  
CLEARWATER, PINELLAS, FL 33760, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

SCX DESIGN® WIRELESS 5.0 HEADPHONES

Item No. : 32467  
Manufacture Date : 2021  
Test Request Form No. : 5197\_SCX  
Shipment Order Number : 7133956  
Country of Origin : CHINA  
Country of Destination : CANADA, UNITED STATES  
Sample Receiving Date : JUN 25, 2021  
Last Submission Sample Date : JUL 12, 2021  
Further Information Date : JUL 14, 2021  
Testing Period : JUN 25, 2021 TO JUL 28, 2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





# Test Report

No.T32120270863TC

Date: JUL 28, 2021

Page 2 of 10

Test Requested		Conclusion
1.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
2.	CPSIA section 101 - Total Lead content	--
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
3.	US 16 CFR Part 1307 – Phthalates (Selected test items as specified by the applicant, please refer to test result page(s) for details)	PASS
4.	US California Proposition 65 (County of Los Angeles – Central District Case No. BC463718 & County of Los Angeles Case No. BC451036) – Lead Content in the specified specimen(s) as listed	PASS
5.	US California Proposition 65 (County of Santa Clara Case No. 1-12-CV-230462 & County of Los Angeles – Central District Case No. BC463718 & County of San Francisco Superior Court Case No.CGC-11-514883) – Phthalates Content	PASS
6.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material (Selected test items as specified by the applicant, please refer to test result page(s) for details)	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.

To Man Wah, Po  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32120270863TC

Date: JUL 28, 2021

Page 3 of 10

### Test Results:

#### **1. CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Transparent rubber coating w/ black coating (Body)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

#### **2. CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Transparent rubber coating w/ black coating (Body)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3. US 16 CFR Part 1307 – Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	0.030	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.011	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
		4	5		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s) Specimen No.	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
		6	7		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.007	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.006	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.018	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1

Specimen Description:

1. Black surface grey foam w/ black fabric backing (Headband, ear cushion)
2. Black surface grey foam w/ blackish green fabric backing (Ear cushion)
3. Black plastic sheet (Body)
4. Black plastic (Body)
5. Black plastic (Socket)
6. White plastic (Body)
7. Transparent rubber coating w/ black coating (Body)

Note:

- % = percentage by weight
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4. US California Proposition 65 – Total Lead Content**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Transparent rubber coating w/ black coating (Body)	ND
2. Black surface grey foam w/ black fabric backing (Headband, ear cushion) + Black surface grey foam w/ blackish green fabric backing (Ear cushion)	ND
3. Black plastic sheet (Body)	ND
4. Black fabric w/ white printing (Body)	17
5. White plastic (Body)	ND
6. Black plastic (Body)	ND
7. Silvery metal (Frame)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm
  - For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

**Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required:**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (County of Los Angeles – Central District Case No. BC463718)	100	Current
California Proposition 65 (County of Los Angeles Case No. BC451036)	100	Current

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**5. California Prop 65 - Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s) Specimen No.	CAS No.	Result(s) (%)			MDL (%)
		1	2	3	
Dibutyl phthalate (DBP)	84-74-2	0.030	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.011	0.003
Di-"isononyl" phthalate (DINP)	68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s) Specimen No.	CAS No.	Result(s) (%)		MDL (%)
		4	5	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	68515-48-0	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003

Test Item(s) Specimen No.	CAS No.	Result(s) (%)		MDL (%)
		6	7	
Dibutyl phthalate (DBP)	84-74-2	ND	0.007	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.006	0.003
Di-"isononyl" phthalate (DINP)	68515-48-0	ND	0.018	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Black surface grey foam w/ black fabric backing (Headband, ear cushion)
2. Black surface grey foam w/ blackish green fabric backing (Ear cushion)
3. Black plastic sheet (Body)
4. Black plastic (Body)
5. Black plastic (Socket)
6. White plastic (Body)
7. Transparent rubber coating w/ black coating (Body)

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - 1% = 10000 mg/kg = 10000 ppm

**Summary of Permissible Limit of Requirement(s) otherwise warning label required:**

Requirement(s)	Permissible Limit
<b>California Proposition 65 (County of Santa Clara Case No. 1-12-CV-230462)</b>	
<ul style="list-style-type: none"> <li>- Automobile accessories including dashboard-related items</li> <li>- Watches,</li> <li>- Clocks</li> <li>- Ear plugs, buds and related accessories</li> <li>- Temporary tattoos</li> <li>- Charms</li> <li>- Plastic figures and small novelties</li> <li>- Stationery- related items/sundries</li> <li>- Bathroom accessories</li> <li>- Kitchen floor and door/welcome mats</li> </ul>	<p>≤ 0.1% DEHP (For Bandage )                      ≤ 0.1% DEHP, BBP, DBP(For other product)</p>
<b>California Proposition 65 (County of Los Angeles – Central District Case No. BC463718)</b>	
<ul style="list-style-type: none"> <li>- Radio</li> <li>- Headphones</li> <li>- Earbuds</li> <li>- Flashlight</li> <li>- Lanterns</li> </ul>	<p>&lt; 0.1% DEHP</p>
<b>California Proposition 65 (County of San Francisco Superior Court Case No.CGC-11-514883)</b>	
<ul style="list-style-type: none"> <li>- Ear buds</li> <li>- Headsets</li> </ul>	<p>≤ 0.1% each of DEHP, DBP, BBP, DnHP, DIDP and DINP</p>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**6. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material**

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2019

Test Item(s)	Pb	Hg
Permissible Limit (mg/kg)	90	ND
Specimen Description	Result(s) (mg/kg)	
1. Transparent rubber coating w/ black coating (Body)	ND	ND

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - MDL for Pb = 10 mg/kg
  - MDL for Hg = 10 mg/kg
  - The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada’s Safety Requirements for Children’s Toys and Related Products, 2012

Remark:

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.