

Date: APR 27, 2021

Page 1 of 6

KOOZIE GROUP

14421 MYERLAKE CIRCLE CLEARWATER, PINELLAS,FL 33760,UNITED STATES

The following samples were submitted and identified by/on behalf of the client as: HEATHERED SHOE BAG

Item No.	:	62560
Manufacture Date	:	2021
Test Request Form No.	:	5051_HK
Shipment Order Number	:	7127105
Country of Origin	:	CHINA
Country of Destination	:	CANADA, UNITED STATES
Sample Receiving Date	:	APR 19, 2021
Further Information Date	:	APR 26, 2021
Testing Period	:	APR 19, 2021 TO APR 26, 2021



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: APR 27, 2021

Page 2 of 6

Test Requested		Conclusion
1.	US California Proposition 65 (County of San Francisco Case No. CGC-14-541130 & County of Santa Clara Case No. 1-12-CV-230462) – Phthalates Content in the specified specimen(s) as listed	PASS
2.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
3.	US California Proposition 65 (Out-of-court Settlement for tool bags/holders, combo bags, construction bags, tote bags, and other bags used to carry tools or other objects) – Lead Content in the specified specimen(s) as listed	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS Hong Kong Ltd.

To Man Wah, Po Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Results:

1. Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can not be placed in the Mouth

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.		1	2	
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010

Specimen Description:

- 1. Grey w/ black woven, black soft plastic sheet backing (Bag) (#1-62560 Gray 600D polyester tow tone bag front and back)
- 2. Black woven w/ black soft plastic sheet backing (Bag) (#2-62560 600D polyester with PVC backing bag side)
- Note: % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Date: APR 27, 2021

Page 4 of 6

The Phthalates Content Requirement(s) is(are) Summarize as below:

Re	quirement(s)	Permissible Limit		
Ca	California Proposition 65 (County of San Francisco Case No. CGC-14-541130)			
- - - -	Bag with vinyl/PVC components Gamepacks (carrying case/travel bag) Game controller cables Controller cases Vinyl/PVC toppers on stylus	≤ 0.1% DEHP, DBP, BBP, DIDP, DINP and DnHP		
Ca	lifornia Proposition 65 (County of Santa Clara Case No. 1-12	2-CV-230462)		
-	Automobile accessories including dashboard-related	≤ 0.1% DEHP (For Bandage)		
	items	≤ 0.1% DEHP, BBP, DBP(For other product)		
-	Watches,			
-	Clocks			
-	Ear plugs, buds and related accessories			
-	Temporary tattoos			
-	Charms			
-	Plastic figures and small novelties			
-	Stationery- related items/sundries			
-	Bathroom accessories			
-	Kitchen floor and door/welcome mats			

2. CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Tes	it Item(s)	Lead (Pb)
Per	missible Limit **(ppm)	100
Spe	ecimen Description	Result(s) (ppm)
	Grey w/ black woven, black soft plastic sheet backing (Bag) (#1-62560 Gray 600D polyester tow tone bag front and back)	ND
	Black woven w/ black soft plastic sheet backing (Bag) (#2-62560 600D polyester with PVC backing bag side)	ND
3.	Black woven band (Handle) (#4-62560 1"webbing Handle)	ND
4.	Silvery metal casting (Zipper puller) (#3-62560 Zinc alloy puller)	ND

** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: APR 27, 2021

Page 5 of 6

- Note: ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

3.. US California Proposition 65 – Total Lead Content

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Те	st Item(s)	Lead (Pb)
Specimen Description		Result(s) (ppm)
1.	Grey w/ black woven, black soft plastic sheet backing (Bag) (#1-62560 Gray 600D polyester tow tone bag front and back)	ND
2.	Black woven w/ black soft plastic sheet backing (Bag) (#2-62560 600D polyester with PVC backing bag side)	ND
3.	Black woven band (Handle) (#4-62560 1"webbing Handle)	ND
4.	Silvery metal casting (Zipper puller) (#3-62560 zinc alloy puller)	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit =10 ppm
- 1% = 10000mg/kg=10000ppm

Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required:

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (Out-of-court Settlement for tool bags/holders, combo bags, construction bags, tote bags, and other bags used to carry tools or other objects)	90	Current

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Date: APR 27, 2021

Page 6 of 6

Remark:

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3. "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.